R4 chorus SATIN

CARTE PER STAMPE DI PREGIO - FINE PAPERS

CARTE PATINATE SENZA LEGNO - COATED WOODFREE PAPER (CWF)

Grammatura ***Substance***	**ISO 536**	***g/m²***	**90**	**100**	**115**	**130**	**135**	**150**	**170**	**200**	**250**	**300**	**350**
Spessore *Caliper*	ISO 534	*µm*	78	85	92	104	108	118	134	165	215	275	325
Volume specifico *Bulk*	ISO 534	*cm^3/g*	0.86	0.85	0.8	0.8	0.8	0.79	0.79	0.83	0.86	0.9	0.93
Liscio Bekk *Smoothness Bekk*	ISO 5627	*s*	400	400	500	450	450	400	350	250	200	300	300
Lucido Gardner *Gloss Gardner*	ISO 8254-1	*%*	45 max	45 max	45 max	45 max	45 max	45 max	45 max	45 max	45 max	45 max	45 max
Grado di bianco CIE *Whiteness CIE*	ISO 11475	*%*	121	121	121	121	121	121	121	121	121	121	121
Bianco ISO *Brightness ISO*	ISO 2470 (D65)	*%*	97	97	97	97	97	97	97	97	97	97	97
Opacità ISO *Opacity ISO*	ISO 2471	*%*	92.5	94	95	96	96.5	97	98 min	98 min	98 min	98 min	98 min

Finitura *Finishing*	Satin
Tipo di stampa *Printing methods*	*Sheet-fed offset*
Applicazioni *End uses*	Brochure, Cataloghi, Copertine di libri e di riviste, Direct Mailing, Inserti, Libri, Libri d'arte e di lusso, Periodici, Report commerciali e finanziari, Riviste di pregio, Stampe commerciali *Brochures, Catalogues, Books and publishing covers, Direct Mailing, Inserts, Books, Art and luxury books, Magazines, Business and financial reports, Luxury magazines, Commercial printing*

I valori relativi ai singoli prodotti sono forniti a titolo esemplificativo e possono essere soggetti a modifiche senza preavviso. Ogni valore è soggetto a determinate tolleranze.
Values referred to each quality are to be considered as reference data and could change without notice. Each value is subject to trade tolerances.